· **2** -1196 <規格表> —

規格表内 赤字部分の数値を修正

■L 型タイプ

型式			T (PT)	ネジ形状②		No. T (PT) G (PF) N (NPT)	L	А	В	E	F	¥基準単価		
Туре	ネジ形状①	No.	G (PF) N (NPT)		No.							APBLM	APBLS	APBLA
APBLM (SS400)	T (PTネジ) G (PFネジ) N (NPTネジ)	1	1/8	_	M5	_	25	25(30)	25(30)	12.5	12.5(15)	1,110	1,850	1,300
				T(PTネジ) G(PFネジ) N(NPTネジ)	1	1/8	25	25(30)	25 (30)	12.5	12.5(15)	1,190	1,850	1,360
					2	1/4	30	30	30	15	15	1,340	1,920	1,550
		2	1/4	_	M5	_	30	30	30	15	15	1,260	1,920	1,450
APBLS				T (PTネジ) G (PFネジ) N (NPTネジ)	1	1/8	30	30	30	15	15	1,340	1,920	1,550
(SUS304)					2	1/4	35	35 (40)	35(40)	17.5	17.5(20)	1,520	2,620	1,710
					3	3/8	40	40	40	20	20	1,820	2,730	2,060
		3	3/8		2	1/4	40	40	40	20	20	1,820	2,730	2,060
					3	3/8	40	40	40	20	20	1,910	2,730	2,240
					4	1/2	50	50	50	25	25	2,670	4,040	2,990
		4	1/2		3	3/8	50	50	50	25	25	2,670	4,040	2,990
		4			4	1/2	50	50	50	25	25	2,870	4,040	3,110

SUS304の場合は、()寸法になります。■T型タイプ

型式			T(PT)			T (PT)			T(PT)						¥基準単価		
Туре	ネジ形状①	No.	G (PF) N (NPT)	ネジ形状②	No.	G (PF) N (NPT)	ネジ形状③	No.	G (PF) N (NPT)	L	Α	В	Е	F	APBTM	APBTS	APBTA
		1	1/8	-	M5	-	_	M5	_	25	25 (30)	25(30)	12.5	12.5 (15)	1,310	1,860	1,550
				T(PTネジ) G(PFネジ) N(NPTネジ)	1	1/8	T (PTネジ)	1	1/8	25	25(30)	25 (30)	12.5	12.5 (15)	1,440	1,860	1,620
					2	1/4	G(PFネジ) N(NPTネジ)	1	1/8	30	30	30	15	15	1,720	2,030	1,930
								2	1/4	30	30	30	15	15			
		3	1/4	_	M5	_	_	M5		30	30	30	15	15	1,510	2,030	1,730
				T (PTネジ) G (PFネジ) N (NPTネジ)	1	1/8	T (PTネジ)	1	1/8	30	30	30	15	15	1,610	2,030	1,800
APBTM	T (PTネジ) G (PFネジ) N (NPTネジ)				2	1/4		1	1/8	30	30	30	15	15	1,830	2,730	2,010 2,610 2,530 2,750 3,510 3,390
(SS400)								2	1/4	35	35 (40)	35 (40)	17.5	17.5 (20)			
					3	3/8		2	1/4	40	40	40	20	20	2,270	2,850	
APBTS								3	3/8	40	40	40	20	20			
(SUS304)			3/8		3	3/8		1	1/8	40	40	40	20	20	2,190 2,370 3,190 3,180	2,850 2,850 4,480	
								2	1/4	40	40	40	20	20			
APBTA (A5052)							G(PFネジ) N(NPTネジ)	2	1/4	40	40	40	20	20			
(A5U52)							(Writh)	3	3/8	40	40	40	20	20			
					4	1/2		3	3/8	50	50	50	25	25			
								4	1/2	50	50	50	25	25			
			1/2		3	3/8		2	1/4	50	50	50	25	25		4,480	
								3	3/8	50	50	50	25	25			
			., _		4	1/2		3	3/8	50	50	50	25	25	3,290	4,480	3,620
					1	// -		4	1/2	50	50	50	25	25			2,320

<貼り付け用>



<1>		<2>		1
	E	\	E	
		J [
ı	12.5	4 .	12.5	
	12.5		12.5	
		·	15	
	15	į	15	ì
	15	ĺ	15	
	15	l l	15	
	17.5	ĺ	15	ĺ
	20	l i	17.5	ì
	20	ĺ	20	
	20		20	
	25	Ī	20	i
	25	l l	20	ì
	25	1	20	



ı	E	ĺ
L	12.5	ľ
H	12.5	H
i	15	ŀ
	15	ľ
i	15	H
	15	ł
	15	ŀ
	17.5	ľ
i	20	ľ
	20	Ì
i	20	Ì
	20	ľ
	20	ľ
	20	
	25	
	25	Ĺ
	25	ľ
l	25	Į
ļ	25	ļ
	25	Ĺ